

TRADITIONAL FUEL CITY BUS




OVERALL PARAMETERS	
Overall Length (mm)	12090
Overall Width (mm)	2532
Overall Height (mm)	3300
GVW (Kg)	18000
Axle Load (Kg)	6500/11500
Wheelbase (mm)	6470
Curb Weight (Kg)	11300
Max Speed (km/h)	69 (speed limited)
Rated Passenger Capacity (persons)	60
Front/Rear Overhang (mm)	2690/3310
Approach/Departure Angle(°)	7/7
Front/Rear Tread (mm)	2085/1860
Rated Power/Max Net Power (Kw/rpm)	191/181/2200
Engine Displacement (ml)	7470
Fuel Type	Diesel
Seat Number	32+1

TRADITIONAL FUEL CITY BUS



CHASSIS PART	
Engine	DC13076A/SCANIA EURO III DIESEL ENGINE
Transmission	AT BRAND 6AP1720B/ZF
Speed Shift Control	Electronic control key operation
Front Axle	7.5T/ZF RL 75 /DANA (right hand drive)
Rear Axle	13T/ZF A132 / DANA
Brake	Front disc rear disc brake
ABS System	EBS system with ABS
Suspension System	Air suspension
Tyre & Spare Tyre	295/80R22.5
Rim	22.5X8.25
Centralized Lubrication	Optional
Steering Gear	Integral power steering/ZF THP90668
Auxiliary Braking	Automatic gearbox with hydraulic retarder
Dryer	CHINA BRAND
Braking System Valves	EBS valves
Expansion Tank	Stainless steel
Cooling System	Cooper water tank, aluminum inter cooler
Fuel Tank Capacity (L)	300L fuel tank

TRADITIONAL FUEL CITY BUS



TRADITIONAL FUEL CITY BUS

BODY PART	
Body Structure	Monocoque
Air Conditioning	32000Kcal VALEO
Passenger Door	Front and rear double aluminum alloy inward swing door
Windshield	Front windshield laminated glass, rear windshield tempered glass
Driver Window	Built-in sliding window, white glass
Side Window	5mm thick toughened closed glass, F green
Front Windshield Curtain	Single manual type
Driver Side Curtain	Optional
Side Curtain	Optional
Seat Layout	2+2, 32+1 seats
Driver Seat	SJ-QXF-3A-BJ
Passenger Seat	JS-P1
Step Number	high floor
Floor & Floor Covering	Bamboo floor, wear resistant floor covering
Instrument Panel	Softened type
Guardrail	Aluminum alloy driver cabin
Handrail	Steel pipe handrail, 24 hanger rings
Interior Mirror	Huanghai standard
Rear View Mirror	Manual electric defrosting
Heating	No heating with defroster

TRADITIONAL FUEL CITY BUS

BODY PART	
Hatch	1 pcs steel roof hatch, 1 pcs plastic roof hatch
Roof Lamp	Double light strip
Driver Fan	Optional
Driver Cup Holder	Equipped
CAN Bus	CAN Bus instrument
Electronic Clock	Optional
Audio Visual System	three 24-inch information screens, one at the rear surrounded by the driver and two on the air duct near the left and right middle doors
Wiper	Horizontal type, 150W motor
Battery	2 pcs 6-QA-195 batteries
Destination Board	Front, rear and side LED electronic street signs (display more than 15 characters)
Fire Extinguisher	2 pcs 4kg fire extinguishers in passenger compartment, 2 pcs 1.5 kg fire extinguishers in rear engine compartment
Safety Belt	Driver safety belt
Safety Hammer	4 pcs safety hammers with alarm function
Engine Compartment & Retarder HighTemperature Alarm	Equipped
Tachograph	Equipped
Inside & Outside Video Monitoring & Recording System	Equipped
Painting	Solid color paint/CHINA BRAND
Hand Ring	24
Stop Announcer	Equipped
Color Reverse Monitor for Middle Door	Equipped